International Journal of Fracture

CONTENTS OF VOLUME 66 (1994)

Vol. 66, No. 1, 1 March 1994

Crack surface contact of surface and internal cracks in a plate with residual stresses	R.D. CORDES and P.F JOSEPH	1
Variation of stretch zone width with *J*, loading rate, temperature and pre-crack depth	C.V. HYATT and J.R. MATTHEWS	19
The compressive failure of notched composites: the effects of geometry and microbuckling softening law	E. SMITH	33
The peeling of flexible laminates	A.J. KINLOCH, C.C. LAU, and J.G. WILLIAMS	45
A 3-D approach to the calculation of the energy release rate in some fracture problems	E.Z. WANG and N.G. SHRIVE	71
A new boundary integral equation for notch problem of plane elasticity	Y.Z. CHEN and Y.K. CHEUNG	91

Vol. 66, No. 2, 15 March 1994

Measurement of the temperature field induced by dynamic crack growth in Beta-C titanium	J.A. KALLIVAYALIL and A.T. ZEHNDER	99
The interlaminar crack-tip response in a fiber-reinforced composite laminate	H.J. CHOI and S. THANGJITHAM	121
The numerical solution of Cauchy singular integral equations with application to fracture	R.D. KURTZ, T.N. FARRIS and C.T. SUN	139
Damage work as ductile fracture criterion	R. CHAOUADI, P. DE MEESTER and W. VANDERMEULEN	155
On the effect of interface micro-cracks on interactions in stratified media	C. WOŹNIAK and M. WOŹNIAK	165
A numerical investigation on the geometry dependence of the crack growth resistance in CT specimens	G.X. SHAN, O. KOLEDNIK and F.D. FISCHER	173
Effective creep Poisson's ratio for damaged concrete	LI ZHAOXIA	189

Vol. 66, No. 3, 1 April 1994

Stochastic analysis of fatigue crack growth for metallic structures	Y.H. ZHANG and L.J. WANG	197
Study of mode I interlaminar fracture in CFRP laminates by moiré interferometry	K. ARAKAWA, M. ISHIGUMA and K. TAKAHASHI	205
Eigenvalue analysis of size effect for cohesive crack model	YUAN-NENG LI and Z.P. BAŽANT	213
Near-interfacial crack trajectories in metal–ceramic layered structures	J.M. McNANEY, R.M. CANNON and R.O. RITCHIE	227
Effect of crack tip radius and crack orientation on metal fracture. Statistical prognosis	D. ANGELOVA, A. DISHLIEV, I. VASILEV and L. SLAVTCHEVA	241
The dual boundary element method for thermoelastic crack problems	N.N.V. PRASAD, M.H. ALIABADI and D.P. ROOKE	255
Validation of a statistical criterion for intergranular brittle fracture of a low alloy steel through uniaxial and biaxial (tension–torsion) tests	E. KANTIDIS, B. MARINI, L. ALLAIS and A. PINEAU	273

Vol. 66, No. 4, 15 April 1994

The evolution of 'cone' cracks under axisymmetric loading conditions	D. HULL	295
Distributed cracks and kinked cracks in bonded dissimilar half planes with an interface crack	M. ISIDA and H. NOGUCHI	313
Analysis of stress intensity factors for three-dimensional cruciform cracks	Y. MURAKAMI and C. SAKAE	339
Application of the finite volume method to the analysis of dynamic fracture problems	A. IVANKOVIC, I. DEMIRDZIC, J.G. WILLIAMS and P.S. LEEVERS	357
Partially-bonded rigid inhomogeneities in antiplane deformation	M.A. KATTIS	373
Author index		387